AMENDMENTS TO THE CLAIMS:

This listing of the pending claims will replace all prior versions and listings of claims in this application:

- 1. (Currently Amended) A method for ultrasound imaging of anatomical tissue using an ultrasound transducer, comprising the steps of:
 - a) positioning the ultrasound transducer relative to the anatomical tissue;
- b) receiving a time-varying first signal of a first imaging ultrasound wave which has been reflected from a location in the anatomical tissue during a first time period, the first imaging ultrasound wave being generated by the ultrasound transducer;
- c) receiving a time-varying second signal of a second imaging ultrasound wave which has been reflected from the location in the anatomical tissue at a later second time period following a discrete <u>ultrasound</u> medical treatment, the second imaging ultrasound wave being generated by the ultrasound transducer;
- d) subtracting the second signal from the first signal to derive a time-varying difference signal; and
- e) generating an indication from the difference signal, the indication showing the effect of the discrete <u>ultrasound</u> medical treatment in the location in the anatomical tissue.
- (Currently Amended) The method of claim 1 wherein the first and second signals are received after the discrete <u>ultrasound</u> medical treatment has been completed.
- (Currently Amended) The method of claim 1 wherein the first signal is received before the discrete <u>ultrasound</u> medical treatment, and the second signal is received after the discrete <u>ultrasound</u> medical treatment has been completed.
- (Original) The method of claim 1, further comprising the step of processing the first and second signals.
- 5. (Original) The method of claim 4, further comprising the step of multiplying at least one of

the first and second signals by a phase compensation function to reduce motion artifacts.

- 6. (Original) The method of claim 1, further comprising the step of scaling the difference signal.
- 7. (Original) The method of claim 6 wherein the difference signal is scaled by squaring the amplitude of the difference signal.
- (Original) The method of claim 1, further comprising the step of spatially filtering the difference signal.
- (Currently Amended) The method of claim 1, wherein the medical treatment is ultrasound medical treatment includes tissue ablation.
- 10. (Original) The method of claim 1, also including the steps a) through d) for different locations to image the anatomical tissue, wherein the image includes medically-treated locations and medically-untreated locations of the anatomical tissue.
- 11. (Original) The method of claim 1, further comprising the step of combining the difference signal image with a second image of the location in the anatomical tissue.
- 12. (Original) The method of claim 11 wherein the second image is generated using a B-Mode ultrasound scan.
- 13. (Currently Amended) A method for ultrasound imaging of anatomical tissue using an ultrasound transducer, comprising the steps of:
 - a) positioning the ultrasound transducer relative to the anatomical tissue;
- b) receiving a time-varying first signal of a first imaging ultrasound wave which has been reflected from a location in the anatomical tissue during a first time period, the first imaging ultrasound wave being generated by the ultrasound transducer;
 - c) receiving a time-varying second signal of a second imaging ultrasound wave which

has been reflected from the location in the anatomical tissue at a later second time period following a discrete <u>ultrasound</u> medical treatment, the second imaging ultrasound wave being generated by the ultrasound transducer;

- d) processing the first and second signals;
- e) subtracting the second signal from the first signal to derive a time-varying difference signal;
 - f) scaling the difference signal;
 - g) spatially filtering the difference signal; and
- h) generating an indication from the difference signal, the indication showing the effect of the discrete ultrasound medical treatment in the location in the anatomical tissue.
- 14. (Currently Amended) The method of claim 13 wherein the first and second signals are received after the discrete ultrasound medical treatment has been completed.
- 15. (Currently Amended) The method of claim 13 wherein the first signal is received before the discrete <u>ultrasound</u> medical treatment and the second signal is received after the discrete ultrasound medical treatment.
- 16. (Currently Amended) A method for ultrasound imaging of anatomical tissue using an ultrasound transducer, comprising the steps of:
 - a) positioning the ultrasound transducer relative to the anatomical tissue;
- b) receiving a first set of image frames comprising a plurality of time-varying imaging ultrasound wave signals which have been reflected from a location in the anatomical tissue during a first period of time;
- c) receiving a second set of image frames comprising a plurality of time-varying imaging ultrasound wave signals which have been reflected from the location in the anatomical tissue during a later second period of time following a discrete <u>ultrasound</u> medical treatment;
- d) subtracting the imaging ultrasound signals of the second set of image frames from the imaging ultrasound signals of the first set of image frames to derive a time-varying difference signal; and

- e) generating an indication from the difference signal, the indication showing the effect of the discrete ultrasound medical treatment in the location in the anatomical tissue.
- 17. (Currently Amended) The method of claim 16 wherein the first and second sets of image frames are received after the discrete ultrasound medical treatment has been completed.
- 18. (Currently Amended) The method of claim 16 wherein the first set of image frames is received before the discrete <u>ultrasound</u> medical treatment, and the second set of image frames is received after the discrete <u>ultrasound</u> medical treatment.
- 19. (Original) The method of claim 16, further comprising the step of processing the first and second sets of signals.
- (Original) The method of claim 16, further comprising the step of scaling the difference signal.
- 21. (Original) The method of claim 20 wherein the difference signal is scaled by squaring the amplitude of the difference signal.
- 22. (Original) The method of claim 16, further comprising the step of spatially filtering the difference signal.
- 23. (Currently Amended) The method of claim 16, wherein the medical treatment is ultrasound medical treatment includes tissue ablation.
- 24. (Original) The method of claim 16, also including the steps a) through d) for different locations to image the anatomical tissue, wherein the image includes medically-treated locations and medically-untreated locations of the anatomical tissue.
- 25. (Currently Amended) A method for ultrasound imaging of anatomical tissue using an

ultrasound transducer, comprising the steps of:

- a) positioning the ultrasound transducer relative to the anatomical tissue
- b) receiving a first set of image frames comprising a plurality of time-varying imaging ultrasound wave signals which have been reflected from a location in the anatomical tissue during a first period of time;
- c) receiving a second set of image frames comprising a plurality of time-varying imaging ultrasound wave signals which have been reflected from the location in the anatomical tissue during a later second period of time following a discrete ultrasound medical treatment;
 - d) processing the first and second sets of signals;
- e) subtracting the imaging ultrasound signals of the second set of image frames from the imaging ultrasound signals of the first set of image frames to derive a time-varying difference signal;
 - f) scaling the difference signal;
 - g) spatially filtering the difference signal; and
- h) generating an indication from the difference signal, the indication showing the effect of the discrete <u>ultrasound</u> medical treatment in the location in the anatomical tissue.
- 26. (Currently Amended) The method of claim 25 wherein the first and second sets of image frames are received after the discrete <u>ultrasound</u> medical treatment has been completed.
- 27. (Currently Amended) The method of claim 25 wherein the first set of image frames is received before the discrete <u>ultrasound</u> medical treatment, and the second set of image frames is received after the discrete <u>ultrasound</u> medical treatment.
- (Currently Amended) The method of claim 25 wherein the medical treatment is ultrasound medical treatment includes tissue ablation.
- 29. (Original) The method of claim 25, also including the steps a) through g) for different locations to image the anatomical tissue, wherein the image includes medically-treated locations and medically-untreated locations of the anatomical tissue.

- 30. (Currently Amended) A method for ultrasound imaging of anatomical tissue using an ultrasound transducer, comprising the steps of:
 - a) positioning the ultrasound transducer relative to the anatomical tissue;
 - b) providing a discrete <u>ultrasound</u> medical treatment to the anatomical tissue;
- c) receiving a set of image frames comprising a plurality of time-varying imaging ultrasound wave signals which have been reflected from a location in the anatomical tissue;
- d) pairing together a plurality of image frames, each pair comprising a first image frame and a second image frame such that the second image frame has been reflected from a location in the anatomical tissue at a later time than the first image frame;
- e) subtracting the signals of the second image frame from the signals of the first image frame, for each pair of image frames in the image frame set, to derive a set of time-varying difference signals;
- f) using at least one difference signal to generate an indication showing the effect of the discrete ultrasound medical treatment in the location in the anatomical tissue; and
 - g) repeating steps a) through e) until medical treatment is completed.
- 31. (Currently Amended) The method of claim 30, further comprising the steps of:
 - a) computing an average of the set of difference signals; and
- b) using the average of the set of difference signals to generate an indication showing the effect of the discrete ultrasound medical treatment in the location in the anatomical tissue.
- 32. (Currently Amended) The method of claim 31, further comprising the steps of:
 - a) cumulatively summing the averages of the set of difference signals; and
- b) using the cumulative sum of averages of the set of difference signals to generate an indication showing the effect of the discrete <u>ultrasound</u> medical treatment in the location in the anatomical tissue.